

09-15-00

A

928jc U.S. PTO
09/14/00

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications
under 37 CFR 1.53(b))

Attorney Docket No.: D/990171

Total Pages:

First Named Inventor or Application Identifier

Ken Hayward et al.

Express Mail Label No.: EL563475179US

928jc U.S. PTO
09/14/00
09/14/00

APPLICATION ELEMENTS

See MPEP Chapter 600 concerning
utility patent application contents.

ADDRESS TO:

**Commissioner for Patents
Box Patent Application
Washington, DC 20231**

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee
processing)

2. ☒ Specification (incl. claims) (Total Pages: 22)

3. ☒ Drawing(s) (35 USC 113) (Total Sheets: 7)

☐ Informal ☒ Formal

4. ☒ Oath or Declaration (Total Pages: 3)

a. ☒ Newly executed ☐ Unexecuted
(original or copy)

b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]

☐ i. **DELETION OF INVENTOR(S)**
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 CFR 1.63(d)(2) and 1.33(b).

5. ☐ Incorporation By Reference
(usable if Box 4b is checked)
The entire disclosure of the prior application, from
which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the
disclosure of the accompanying application and is
hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)

7. Nucleotide and/or Amino Acid Sequence Submission
(If applicable, all necessary)

- a. ☐ Computer Readable Copy
b. ☐ Paper Copy (Identical to computer copy)
c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))

9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)

10. ☐ English Translation Document (if applicable)

11. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS Citations

12. ☐ Preliminary Amendment

13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)

14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application,
Status still proper and desired

15. ☐ Certified Copy of Priority Document(s)
(If foreign priority is claimed)

16. ☐ Other:

17. ☒ If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:
☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No: 09/397,126

18. CORRESPONDENCE ADDRESS

☐ Same as prior application ☒ Correspondence address below

NAME John E. Beck

ADDRESS Xerox Corporation, Xerox Square - 20A

CITY Rochester

STATE NY

ZIP CODE 14644

716-423-5240 or

COUNTRY U.S.A.

TELEPHONE

FAX

716-423-2750

Attorney Docket No. D/990171

19. ☐ Cancel in this application original claims: of the prior application before calculating the filing fee.
(At least one original independent claim is retained for this filing).

20. ☒ The filing fee is calculated below:

CLAIMS AS FILED, LESS ANY CLAIMS CANCELED BY ABOVE-INDICATED AMENDMENT(S)				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
TOTAL CLAIMS (37 CFR 1.16(c))	20 - 20 =	0	X \$ 18	= \$0.00
INDEPENDENT CLAIMS (37 CFR 1.16(b))	4 - 3 =	1	X \$ 78	= \$78.00
MULTIPLE DEPENDENT CLAIMS (IF APPLICABLE) (37 CFR 1.16(d))		ANY - - 0	\$ 260	= \$0.00
BASIC FEE (37 CFR 1.16(a))				\$690.00
TOTAL				= \$ 768.00

21. ☒ The Commissioner is hereby authorized to charge any filing or prosecution fees which may be required, under 37 CFR 1.16, 1.17, and 1.21 (but not 1.18), or to credit any overpayment, to **Xerox Corporation**, Account No. 24-0025. *An additional copy of this form is enclosed.*
22. ☒ This is an authorization under 37 CFR 1.136(a)(3) to treat any concurrent or future reply, requiring a petition for extension of time, as incorporating a petition for the appropriate extension of time.
23. ☒ Amend the specification by inserting before the first line the sentence:
--This application is a ☐ continuation ☒ continuation-in-part ☐ divisional
of Application(s) No(s). 09/397,126, filed September 16, 1999.--
24. ☒ A CIP declaration is enclosed.
25. ☒ Power of Attorney
- a. ☐ The power of attorney appears in the original papers of the enclosed prior application.
- b. ☐ Enclosed is a copy of the declaration and power of attorney from the enclosed prior application.
- c. ☒ A new declaration with power of attorney is enclosed.

(Executed Attachment to Page 1)

Attorney Docket No.: **D/990171**

26. ☐ The following inventors named in the prior application are deleted per 37 CFR 1.53(b)(1), 1.63(d)(2) and 1.33 (b):
27. ☐ This application is adding one or more inventors under 37 CFR 1.48 to a previously executed application, with an enclosed: petition, fee, newly executed declaration from all inventors, and written consent of the assignee.
28. ☐ This application claims the priority benefit of one or more Provisional Application No(s). and the first sentence of this application has been or will be amended to so indicate.
29. ☒ Priority is claimed from 09/397,126 filed September 16, 1999.
(reinsert all previous priority claims for the entire chain of any prior applications).
30. ☐ Other paper(s) enclosed:

Respectfully submitted,



Andrew D. Ryan

Signature per 37 CFR 1.33 & 34

Date: 9/14/2000

Registration No. 39,351

Telephone No. 716-423-4636

[illegible]

1

1

1

1

1

1

METHOD FOR SUPPLY ORDERING

This application is a continuation-in-part of United States Application Serial No. 09/397,126, filed September 16, 1999, the disclosure of which is totally incorporated by reference.

5

FIELD OF THE INVENTION

This invention relates to a method of intelligent ordering for replacement consumable parts in imaging and marking apparatus. Reference is also made to co-pending continuation-in-part application, Serial
10 No. (Docket D9901711), entitled, SUPPLY ORDERING APPARATUS, filed concurrently herewith. The present application also relates to United States Application Serial No. 09/397,125, filed September 16, 1999. The above applications are incorporated herein by reference in their entireties.

BACKGROUND OF THE INVENTION

Many imaging machines including, for example, fax, copier, printer, scanner device, xerographic device, electrostatographic device generally provide user assistance that indicate one or more error conditions. For example, lights such as small LCD (liquid crystal display) often indicate a variety of error conditions. Typically, a user reads an error code from the
15 LCD, looks up the error code in a machine's user manual, and then calls the manufacturer's toll free help line for an explanation of the code or instructions on what to do to fix the error condition.

FIG. 1 depicts a typical machine 10 connected to a known computer 30 over a bus 32. Machine 10 includes sensors 12 to detect
20 conditions (e.g., paper tray empty). Sensors 12 and machine state flags 14 (e.g., warm up or not ready) describe the state of the machine. Firmware 16 reads the state of the machine and forms an error code number. A code

handler 22 of user interface 20 receives the error code and causes it to be displayed on status monitor 24.

Various monitoring systems and machines are disclosed in United States Patent Nos. 6,016,409; 6,106,088; 6,045,206; 6,000,773; 5 5,901,286; 5,809,375; 5,802,420; 5,636,032; 5,572,292, 5,305,199; 5,283,613, 5,281,999; 5,016,171; 4,961,088; and 4,496,237.

All documents cited herein, including the foregoing, are incorporated herein by reference in their entireties.

SUMMARY OF THE INVENTION

10 The present invention relates to a method for automatically ordering consumable supplies for a marking apparatus.

In accordance with one aspect of the present invention, there is provided, a method of ordering a part for a xerographic apparatus comprising: monitoring electronically a condition of a replaceable part in a 15 first device, the replaceable part having: a first condition upon installation; at least one intermediate condition after use; and a third condition when a replacement part is substantially necessary; and electronically sending a signal to a second device, the signal automatically electronically offering to purchase a replaceable part upon identification of at least one of the first 20 condition, second condition, and third condition in the replaceable part using an electronic signature.

In accordance with another aspect of the present invention, there is provided, a method of ordering a part for an apparatus including: identifying electronically a condition in an apparatus; and automatically 25 launching an electronic communications to initiate at least one of an inquiry and an offer to purchase to a supplier based on the condition.

In accordance with another aspect of the present invention, there is provided, a method of ordering a part for a marking device including: sensing a condition at a consumable part in the marking device, the marking device adapted to at least one of identify and predict a code indicative of a threshold of a consumable; and launching an electronic communication to

access a computer at an address defined by the condition for ordering a replacement for the consumable part.

In accordance with another aspect of the present invention, there is provided, a method of ordering a part for an imaging apparatus including: identifying electronically a condition in a consumable part, the consumable part including at least one an ink cartridge, toner cartridge, photoreceptor cartridge, paper, and printhead, the consumable part having a first condition upon installation, at least one intermediate condition after use, and a third condition when a replacement of the consumable part is substantially necessary; and using a software and sensor system associated with the apparatus for at least one of: (a) electronic monitoring of the condition of the consumable part; (b) electronic predicting of the condition of the consumable part; and after at least one of (a) and (b); (c) automatically launching an electronic communications to initiate at least one of an inquiry and an offer to purchase a replacement for the consumable part at an occurrence or prediction of at least one of the first condition, intermediate condition, and third condition.

Still other objects and advantages of the present invention will become readily apparent to those skilled in the art from the following detailed description, wherein embodiments are shown and described, simply by way of illustration contemplated of carrying out the invention. As will be realized, the invention is capable of other and different embodiments, and its several details are capable of modification in various obvious respects, all without departing from the invention. Accordingly, the drawing and description are to be regarded as illustrative in nature, and not as restrictive.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a user interface of a known computer peripheral;

FIG. 2 is a block diagram of a user support system according to the present invention;

FIG. 3 is a view of a "home" screen display of an embodiment of the invention;

FIG. 4 is a view of a "status window" of a screen display of an embodiment of the invention;

5 FIG. 5 is a flow chart of a registration process of the invention;

FIG. 6 is a flow chart of a user support information update process of the invention;

FIG. 7 is a flow chart of an online purchase order process of the invention; and

10 FIG. 8 is a diagram of a system according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

While the principles and embodiments of the present invention will be described in connection with marking apparatus such as electrostatographic and xerographic reproduction machines, and their associated peripherals, it should be understood that the present invention is not limited to that embodiment or to that application. Therefore, it should be understood that the principles of the present invention and embodiments extend to all alternatives, modifications, and equivalents thereof.

20 In FIG. 2, a computer 30 is connected to a modem 34 to convert computer binary information to analog telephone signals. Computer 30 may be a stand alone device or may be incorporated in a marking device such as a machine or peripheral 10. In addition, the marking device user may be connected to the Internet 36. Computer 30 has an Internet browser
25 installed and operating thereon (i.e., a software module that runs on the computer to interface the user to the Internet). Internet 36 access may be through an Internet Service Provider (ISP). Typically, an ISP maintains a point of presence (POP) in the user's local telephone system to give the user a local telephone number to call. In this case, the modem 34 is a telephone
30 modem, and under user control the browser causes modem 34 to place a call to the POP. The POP is linked to the IPS's main service center by trunk

lines. The ISP's main service center has a bank of modems (not shown) to reconvert the analog telephone signals into computer binary information, and a computer (also not shown) to connect to the Internet backbone (a digital or binary communications system, also not specifically shown). The Internet backbone includes an Internet pier (i.e., terminal) where properly formatted digital signals from the ISP's main service center are launched onto the Internet backbone. The user, through his browser, may access any site on the Internet based on a URL. Everything from the POP to the Internet backbone is covered by the representation of Internet 36 in FIG. 2. Other communication systems and protocols may also be used to link the system to a user, supplier, vendor, manufacturer, or third party. For example, ISDN (integrated services digital network), DSL (digital subscriber line), and cable telephone systems may be used.

In addition, a user may communicate with a server 40 that is connected to the Internet through a modem 38. Modem 38 may be connected to the Internet either directly or indirectly through an ISP. The server 40 may perform a variety of functions, for example, a manufacturer may use their server 40 for registration of a new peripheral or publishing information about the peripheral.

A peripheral 10 (e.g.; fax, copier, printer and scanner device) may be sold to the user with installation software. The user may physically connect peripheral 10 to a computer 30, and then load and execute the installation software. In addition, the installation software may be loaded on the computer using an application program executed directly by the user to interact with the peripheral, and one or more driver modules (e.g., a printer driver) may be executed by another application program (e.g., a word processor).

In use, the installation software may execute a module that performs online registration. The online registration system may use a registration server of the manufacturer to provide the user with HTML formatted pages over the Internet for display on the computer 30. These

pages include fields to be filled out by the user. For example, the fields may require the user's name, product name, model, and serial number. Later purchased options (e.g. additional paper trays or a document handler) may also be registered. The HTML formatted pages may also include a "send button" to be "clicked on" by the user to send the filled out fields to the registration server in order to complete the online registration.

Turning now to Figure 5, the installation process includes the computer 30 sensing an indicia (step S11) of machine 10 including the consumable components and reconfigurable parts. The machine 10 may include a variety of model numbers, part numbers, dates of manufacture, serial numbers, and configuration information. In addition, the indicia of machine 10 may include information such as the geographic location of the owner or location of the machine 10. Using the geographic information, the user may be routed to a particular sales site based on the geographic region. For example, users may be routed to a specific retailer, distributor, or company direct sales site depending on the location of the user, U.S. or foreign, and regional location within a certain country.

Registering the machine 10 (step S12) includes launching a communications link to connect to a registration server. The registration page is then displayed on the screen. The user fills out the information fields (e.g., the user name) and clicks on the send button. The completed registration page and the indicia of the peripheral are sent to the registration server. This results in information relating to precise configuration and date of the registered product being stored on the registration server.

At the end of online registration process S1, a file of additional information directed to the registered machine 10 is downloaded from the server(S13). The downloaded information is dependent on the peripheral indicia. In this way, the latest information on the registered machine 10 may be stored in the computer 30 or the processor, software and logic system 16, and the information is directed to the precise configuration and date of the registered product. After the initial registration, user support information

(e.g., frequently asked questions) may be sent to the user as support information continues to evolve throughout the product's life cycle.

The specific indicia sent during registration may be used to identify user support information in the database most useful to the operation and maintenance of a machine having a particular serial number or configuration. This permits a user to update user support information at any time.

Conditions in the machine 10 may indicate a need to replace a consumable item or part (e.g., paper, ink, toner, cartridge, printhead, drum). Using the sensed indicia from registration, an automatic electronic customer direct supply ordering mechanism can advantageously identify a replacement part or consumable item that is needed and the proper part can then be automatically ordered and sent to the user.

For example, a particular condition may be determined or derived from sensors 12 and machine state 14 via firmware 16 as shown in Figure 2. The peripheral condition is sent by firmware 16 over bus 32 to an application program running in the computer 30. Moreover, a particular condition may be determined or derived from sensors 12 and consumable component 11 via processor, software and logic system 16 as shown and further described with respect to Figure 8. The applications program may indicate the particular condition to the user, for example on a display screen.

FIG. 3 depicts an example of a display screen for a fax, copier, printer, scanner device. Along the top line is the title of the application program, for example, "WorkStation" or "Device". The next line is a drop down menu bar. The next line includes information specific to the exemplary work station or device. The third line, for example, includes an X indicator to indicate that a status condition has occurred that should be reviewed, and a Status Inquiry box with "button" to "click on" and get more information. On the left hand side of the display is a vertical bar with six buttons that is referred to as a service panel. The remaining portion of the screen is a context sensitive work area that is dependent on the selected service. A

software and user input solution automatically connects the user to a part supplier, a consumable item, manufacturer, or a consumable item vendor for efficiency, convenience, and timely ordering or inquiry.

The service panel may have any number of buttons. In one embodiment, six buttons may be incorporated. For example, the first button may return the operator to the home menu screen. The next button accesses a “desktop” directory used by the present application. The next four buttons, in succession, access a scanner screen, a fax screen, a copier screen, and a printer screen.

A variety of menu choices may be depicted in the context sensitive work area of the home screen. The first menu entry may access a screen to review or modify system settings. The second menu entry accesses a screen to access online help services and user support as described further herein. The third menu entry accesses a screen to order supplies and/or upgrades from the manufacturer or a manufacturer approved supplier. The fourth menu entry accesses a digital user manual with hyperlinked information and help files. The fifth menu entry accesses a simplified guided tour and interactive demonstration of the peripheral’s operation. The system setting screen provides for setting up various device settings that would otherwise need hard buttons. Preferably, a link to maintenance and print driver setup screens is provided.

FIG. 4 depicts the work area (i.e., status window) of the status screen. When the status inquiry button is clicked from a screen, the status screen window appears. The top of the status screen window includes two areas in the upper half: an icon display of the machine and a condition sub-window with a “Show Me” button. The icon shows the device in it’s current state. If there is a problem (e.g. paper jam) it will indicate an error state. Pressing the “Show Me” button will run an animation of the icon showing how to clear the jam or correct a different problem. The animation data would be streamed from local memory or from a website. The user or machine condition can be used to determine which context sensitive help

such as text, video, or audio communication to use from the website. A condition, for example, indicated by the X, explained as a “Magenta Ink Level Low”, and two action options are given. The first option is ordering another magenta ink cartridge using the “Buy Now” button, and the second option is replacing the cartridge using the “Show Me” button.

For example, the bottom of the status window may include three areas in the lower half: a job status sub-window, an ink level sub-window with a “Buy Now” button, and three miscellaneous buttons (system settings as a short cut to change settings, maintenance button to access a diagnostics screen and a close button). The job status sub-window shows three jobs as an example, showing the portion completed. Preferably, some indicia of the job, such as a file name, is displayed under the portion completed. Next to each job is a cancel button that enables the user to optionally cancel the job.

It should be appreciated that the screens depicted in FIG. 3 and 4 are representative screen embodiments, and are not meant to limit the invention defined by the claims.

When a user accesses the status window and clicks the “Show Me” button, the application program may access replacement instruction information related to replacing a customer replaceable unit, for example, the magenta ink cartridge. FIG. 6 depicts this “Show Me” process as step S2. In step S21, the application program senses the particular peripheral condition. The application program running in computer 30 receives the peripheral condition over the bus 32 from the firmware 16 (FIG. 2). In step S22 (FIG. 6), the application program checks to see if the information is already present in the memory of computer 30. If the information is not present, the application program in step S23 launches an embedded or an external communications browser to access the manufacturer’s server or vendor’s server at an address defined by the peripheral condition. For example, the address might be:

www.manufacturer.com/product/xxx,

where “product” is the peripheral indicia or something derivative therefrom, and “xxx” is the peripheral condition (i.e., magenta ink level low), code, or something derivative therefrom.

5 The browser accesses a web page on the manufacturer’s server that is identified by “/product/xxx”. In this way the information provided is not only specific to the product configuration of the peripheral as it exist in the product’s life cycle, but is also specific to the particular condition sensed. Then, the server provides the browser with additional information about the condition which is stored temporarily in the computer’s
10 memory (step S24, FIG. 6). The additional information may be text, but preferably includes illustrations and even photographs. It may include audio clips (e.g., using .wav format) and it may include video segments using any of the available formats. A goal is to make it look to the user as if a technician on the other side of the computer screen is showing the user how
15 to replace the magenta cartridge in the user’s specific machine.

Audio and video clips require large storage areas. While it may be possible to store in the computer’s memory a complete audio and video clip for several conditions, it is unlikely that all possible conditions will be economically storable in the computer’s memory, although improvements
20 in technology may solve this problem. However, a manufacturer’s server, may be much larger and may include clips for all possible conditions, for each configuration of each product line that is supported.

In step S25, the additional information is retrieved from memory and in step S26 that information is displayed to the user. It should
25 be appreciated that the memory of the computer 30 may include an area that is to be used to save the most frequently used “Show Me” files. For example, a memory area large enough to store 10 average sized “Show Me” files may be reserved in the computer’s memory (e.g., a disk memory). A criteria for managing this memory area is established to fill the memory area
30 when there is sufficient space for a new “Show Me” file, and to delete a past

“Show Me” file to make room for a new “Show Me” file when needed dependent on the age of the file and the product cycle.

5 The server help database for a product line with a greater number of installed products will mature faster than for a product line with fewer number of installed products. The user has available information about the date of manufacture of the particular peripheral configuration that his own peripheral has, and this can be used to determine the time elapsed since manufacture as a suggestion of how many peripherals of this configuration have been sold. However, the manufacturer is in possession of actual information on how peripheral of the particular configuration have been sold, and thus how old a user help file needs to be to be consider stale. A combination of user and manufacturer information may be used to set a “stale threshold” for deleting a stale user help file. A second stale threshold may also be used in step S22. If the information stored in memory is available but regarded stale by according to the second threshold, step S22 may proceed to steps S23-S26 anyway to download the latest update on the user help information.

20 The user can click on a “maintenance” button. On doing so, a maintenance screen appears, and the user can select and execute any of several self diagnostic routines. The installation software installs a diagnostic module that is more or less and executive that calls very specific sub-modules to test each part of the machine. The specific diagnostic options depend on the specific configuration of the peripheral and are downloaded from server 40 in the exact same manner as user help information is downloaded. The present invention benefits from the use of the indicia and condition to specify a URL address that exactly matches the user’s peripheral and condition. In this way, diagnostics may be performed quicker. Then, when a failed part is isolated, the “Buy Now” button appears and a replacement part may be ordered immediately or automatically as discussed below. The user may use the “Show Me” button to see how to replace the part when the part arrives.

004T60" 4333360

The condition may be used to indicate when a consumable has been exhausted (e.g., paper tray empty) or a consumable has reach a predetermined threshold (e.g., magenta ink level low). Preferably, the condition indicates when the consumable has reached a threshold in time to reorder before the consumable is completely exhausted.

In an alternative embodiment, the application module has a monitor module that is called each time a job is sent to the printer to track how many pages have been printed and/or how much ink has been expended in each color since the last time the consumable has been replenished. The monitor module includes an "inventory sub-module" to recorded each time the consumable has been replenished and to deduct consumption of the consumable as the jobs are printed. The monitor module causes an indication of a status condition to be displayed when the consumables are expected to be below a threshold based on the inventory sub-module. The user can then navigate through the screens to the status screen and order more of the consumable by clicking the "Buy Now" button.

The server 40 may forward an order to a supplier local to the user's location or the server 40 may process the order and ship directly to the user. Server 40 knows the address of the user from the purchase order. With pre-arranged contracts with networks of office supply retailers and mail order houses, server 40 is kept aware of the level of inventory on hand at the retailer, and can confirm availability before sending the shipment order to the retailer.

Furthermore, using "cookie technology" developed for browsers, the application program examines the cookies for office supply retailers that the user has already used for supplies (e.g., when the user buys supplies online from the retailer). Such retailer can become a preferred distributor for the manufacturer's supplies. If accounts are established with the retailers that carry the desired part, the application program may inquire of the user at the time the user clicks on the "Buy Now" button whether the user want to order from the preferred retailer on account.

A modem 34, Internet connection 36, or server 40 may be used to electronically communicate the information from the marking apparatus 8 to the remote output device 50 regarding the condition of the consumable component 11 and automatically initiate an electronic order for a replacement of the consumable component 11. The threshold conditions of the consumable component 11 may include a measure, timing, or data such as: (1) supply; (2) wear; (3) usage; (4) rate of depletion; (5) rate of wear; (5) predicted date of depletion of supply; (5) predicted date of need of consumable component 11; (6) delivery schedule of consumable component; and (7) statistical data for consumable component 11.

The marking apparatus 8 may electronically initiate a purchase offer, electronically receive an acceptance of the purchase offer, and electronically form a contract with a supplier for purchase of the replaceable part or consumable component 11. The electronic transaction may include
5 use of an electronic signature using, for example, digital technology. The system may be used in copy, printing, xerographic, electrostatographic, and marking apparatus. The consumable part may include a ink, ink cartridge, toner, toner cartridge, paper, photoreceptor cartridge, and printhead.

Moreover, the marking apparatus 8 device may communicate
10 information relating to the condition of the consumable component 11 to a second device, supplier, user, or third party. The information may relate to: (1) a present condition of the consumable component 11; (2) a prediction of a future condition of the consumable component 11; (3) an inquiry relating to the consumable component 11; or (4) a purchase order of the
15 consumable component 11. The marking apparatus 8 may predict a future condition of the consumable component 11 prior to sending a signal. The marking apparatus 8 may be programmed to communicate an offer to purchase a consumable component 11 and receive an acceptance of an offer to purchase a consumable component 11 prior to occurrence of certain
20 condition. The consumable component 11 may be received by the user and installed in the marking apparatus 8 between occurrence of certain conditions. The marking apparatus 8 may request delivery of a consumable component 11 to a specified location. The marking apparatus 8 may include identified indicia relating to purchase information for the replaceable part
25 such that the logic then automatically initiates an offer to purchase the replaceable part. The indicia may includes a method of shipment, shipping address, phone number, address, method of payment, authorization code, and credit card account number.

The system advantageously automates ordering of
30 consumable supplies and replaceable parts for a marking apparatus 8, analog or digital. An order may be initiated based on a condition code

indicating that the consumable component 11 has or will soon reach a predetermined threshold. Then, the system automatically sends an offer to purchase the replacement. This system includes sensing or predicting a condition in a marking apparatus, sending that condition to a computer or processor, and launching a communications to a second device to electronically offer to purchase the replacement part. The marking apparatus 8 may include all or part of the features and functions as previously described for Figures 2-7.

While this invention has been described in conjunction with various embodiments, it is evident that many alternatives, modifications, and variations thereof will be apparent to those skilled in the art. Accordingly, it is intended to embrace all such alternatives, modifications, and variations and their equivalents.

What is claimed is:

1. A method of ordering a part for a xerographic apparatus comprising:

monitoring electronically a condition of a replaceable part in a first device, the replaceable part having: a first condition upon installation; at least one intermediate condition after use; and a third condition when a replacement part is substantially necessary; and

electronically sending a signal to a second device, the signal automatically electronically offering to purchase a replaceable part upon identification of at least one of the first condition, second condition, and third condition in the replaceable part using an electronic signature.

2. The method of **claim 1** further comprising predicting a condition of the part prior to the electronically sending the signal.

3. The method of **claim 2** further comprising receiving electronically an acceptance of the offer to purchase the replaceable part.

4. The method of **claim 2** further comprising installing the replaceable part prior to occurrence of the third condition.

5. The method of **claim 1** further comprising delivering the replaceable part to the first device when monitoring indicates the condition of the part is between about the first condition and the third condition.

6. The method of **claim 3** further comprising providing information relating to the signal to at least one of a user, a supplier, and a third party.

7. The method of **claim 6** wherein the information relates to at least one of: (1) a present condition of the part; (2) a prediction of a future condition of the part; (3) an inquiry; and (4) an offer to purchase.

8. The method of **claim 1** further comprising:
using a sensor and software system to perform monitoring and predicting of a condition of the part.

9. The method of **claim 1** wherein at least one of the first device as the second device are interactive.

10. The method of **claim 1** further comprising:
displaying a purchase order screen, the purchase order screen including data relating to the part; and
sending the data electronically to a supplier of the part.

11. The method of **claim 10** further comprising:
sending data to the supplier after a user enters data.

12. The method of **claim 6** wherein the information further relates to at least one of: (1) present supply of a consumable; (2) wear of a consumable; (3) usage of the part; (4) rate of depletion of a consumable; (5) rate of wear of the consumable; (5) predicted date of depletion of the consumable; (5) a predicted date of need of a consumable; (6) delivery schedule of a consumable; and (5) statistical data relating to a part.

13. The method of **claim 1** further comprising:
launching a communications link to access a URL address, the URL address defined by a condition of the part.

14. A method of ordering a part for an apparatus comprising:

identifying electronically a condition in an apparatus; and
automatically launching an electronic communications to initiate at least one of an inquiry and an offer to purchase to a supplier based on the condition.

15. A method of ordering a part for a marking device comprising:

sensing a condition at a consumable part in the marking device, the marking device adapted to at least one of identify and predict a code indicative of a threshold of a consumable; and

launching an electronic communication to access a computer at an address defined by the condition for ordering a replacement for the consumable part.

16. The method of ordering a part of **claim 15** wherein the consumable part is functionally associated with a sensor and software system to sense and predict a condition in the device and to electronically communicate information, the sensor and software system including logic adapted to initiate a purchase order defined by the condition.

17. A method of ordering a part for an imaging apparatus comprising:

identifying electronically a condition in a consumable part, the consumable part including at least one an ink cartridge, toner cartridge, photoreceptor cartridge, paper, and printhead, the consumable part having a first condition upon installation, at least one intermediate condition after use, and a third condition when a replacement of the consumable part is substantially necessary; and

using a software and sensor system associated with the apparatus for at least one of: (a) electronic monitoring of the condition of the consumable part; (b) electronic predicting of the condition of the consumable part; and after at least one of (a) and (b); (c) automatically launching an electronic communications to initiate at least one of an inquiry and an offer to purchase a replacement for the consumable part at an occurrence or prediction of at least one of the first condition, intermediate condition, and third condition.

18. The method of ordering a part of **claim 17** further comprising receiving electronically an acceptance of the offer to purchase.

19. The method of ordering a part of **claim 17** wherein the communication further relates to at least one of: (1) present supply of a consumable; (2) wear of a consumable; (3) usage of the part; (4) rate of depletion of a consumable; (5) rate of wear of the consumable; (5) predicted date of depletion of the consumable; (5) a predicted date of need of a consumable; (6) delivery schedule of a consumable; and (5) statistical data relating to a part.

20. The method of ordering a part of **claim 17** further comprising:

launching a communications link to access a URL address, the URL address defined by a condition of the consumable part.

ABSTRACT

A method of automatic supply ordering system for electronically ordering a consumable part or replaceable part in a marking machine. The system provides electronic identification of a condition of a replaceable component and automatically electronically sends an offer to
5 purchase a replacement part upon identification of a threshold condition.




FIG. 1
(Prior Art)




FIG. 2






TITLE		  	
FILE EDIT VIEW HELP			
STATUS INDICATOR			
STATUS INQUIRY 			
SERVICE NAME			
<input type="checkbox"/> SYSTEM SETTINGS			
<input type="checkbox"/> ON-LINE HELP			
<input type="checkbox"/> ORDER SUPPLIES			
<input type="checkbox"/> USER GUIDE			
<input type="checkbox"/> GUIDED TOUR			
<div><div>HOME</div><div>DESK TOP</div><div>SCAN</div><div>FAX</div><div>COPY</div><div>PRINT</div></div>			

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

CONTINUATION IN PART PATENT APPLICATION

Attorney Docket No. D/990171

DECLARATION AND POWER OF ATTORNEY FOR CONTINUATION IN PART PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **METHOD FOR SUPPLY ORDERING**

the specification and claims of which

☒ are attached hereto OR ☐ was filed on _____ as U.S. Application No.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, §1.56, including information which became available between the filing date of the prior application and the national or PCT International filing date of this application.

I hereby claim priority benefits under Title 35, United States Code, §119 of any foreign or U.S. Provisional application(s) for patent listed below to which I may be entitled from at least one of these prior application(s) for at least one present or future claim of this application: [This specification has also been amended to contain a specific reference to any applications listed here.]

Prior Foreign or U.S. Provisional Application(s)

(Number)	(Country)	(Day/Month/Year Filed)
----------	-----------	------------------------

I hereby claim priority benefits under Title 35, United States Code, § 120 of any previously filed United States application(s), or under §365(c) of any PCT International application designating the United States, listed below to which I may be entitled from at least one of these following prior application(s) for at least one present or future claim of this application: [This specification has also been amended to contain a specific reference to any applications listed here.]

<u>09/397,126</u>	<u>9/16/1999</u>	<u>Pending</u>
(Application No.)	(Filing Date)	(Status) (patented, pending, abandoned)
(Application No.)	(Filing Date)	(Status) (patented, pending, abandoned)

I hereby also identify below, and enclose copies of, the following United States, PCT, and foreign applications for patent **which correspond to, or are equivalent to**, the above identified prior application(s), **that have been published prior to this application:**

(Application Number) (Day/Month/Year Published) (Country)

(Application Number) (Day/Month/Year Published) (Country)

(Application Number) (Day/Month/Year Published) (Country)

(Application Number) (Day/Month/Year Published) (Country)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following registered practitioners to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John E. Beck,	Reg. No. 22,833;	Henry Fleischer,	Reg. No. 25,582;
Richard B. Domingo	Reg. No. 36,784;	Mark Costello,	Reg. No. 31,342;
Denis A. Robitaille	Reg. No. 34,098;	Eugene O. Palazzo	Reg. No. 20,881
Ronald F. Chapuran	Reg. No. 26,402;	Andrew D. Ryan	Reg. No. 39,351

ADDRESS ALL CORRESPONDENCE TO:

John E. Beck
Xerox Corporation
Xerox Square 20A
Rochester, New York 14644

DIRECT TELEPHONE CALLS TO:

(name and telephone number)
Andrew D. Ryan
716-423-4636

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

DECLARATION AND POWER OF ATTORNEY, continued

Name of sole or first inventor: Ken Hayward

Inventor's Signature: Ken Hayward

Date: 9/13/00

Residence: 3895 Lake Road North, Brockport, New York 14420

Citizenship: USA

Post Office Address:
(Same as above)

Name of second joint inventor: Marc J. Krolczyk

Inventor's Signature: Marc J. Krolczyk

Date: 9-13-00

Residence: 1005 Harvard Street, Rochester, New York 14610

Citizenship: USA

Post Office Address:
(Same as above)

Name of third joint inventor: Dawn M. Marchionda

Inventor's Signature: Dawn M. Marchionda

Date: 9-13-00

Residence: 4825 E. Williamson Road, Marion, New York 14505

Citizenship: USA

Post Office Address:
(Same as above)

Name of fourth joint inventor:

Inventor's Signature: _____

Date: _____

Residence:

Citizenship:

Post Office Address:
(Same as above)

Name of fifth joint inventor:

Inventor's Signature: _____

Date: _____

Residence:

Citizenship:

Post Office Address:
(Same as above)

Name of sixth joint inventor:

Inventor's Signature: _____

Date: _____

Residence:

Citizenship:

Post Office Address:
(Same as above)

Name of seventh joint inventor:

Inventor's Signature: _____

Date: _____

Residence:

Citizenship:

Post Office Address:
(Same as above)